




Wire & Cable
Management
Solutions Catalogue



GULF TECHNICAL INDUSTRIAL ESTABLISHMENT

مؤسسة الخليج الفنية
الصناعية






GEPICO

Total Wire & Cable Management Solutions

A Leading supplier and manufacturer of high quality and cost effective Wire & Cable Management products based in the Middle East.



Gulf Technical Industrial Establishment (GEPICO) has been supplying wire and cable management products for nearly 25 years, we have grown with our partners to become one of the leading brands and manufacturers in the Middle East.

We have constantly strived to offer our customers and partners the very best of Quality, Delivery, Service, Price, Product Range and Value, with every year witnessing larger strides in each.

Quality

Product quality has been at the forefront of all GEPICO projects and efforts, striving to offer our customers the very best materials.

Delivery & Stock

GEPICO has constantly upgraded its production lines and machinery to immediately meet market demands, GEPICO has also invested its warehouse and distribution operations to reach one of the highest capacities to supply the full range of wire and cable management products in the region.

Standards & Approvals

GEPICO is involved in several local committees setting the Wire and Cable management standards, and our team of experts ensure that all GEPICO products conform to the latest relevant standards, our products and services are designed to exceed the requirements of these standards, and the company guarantees every product carrying the GEPICO name.

Testing and Product Quality

GEPICO has invested in its in-house laboratories and testing facilities to enable the constant testing of our products to the latest European and international standards, GEPICO also has long established history with the leading testing laboratories in Jordan and constantly test our products in these third party testing facilities to confirm product specifications and quality.

تقوم مؤسسة الخليج الفنية الصناعية (جبكو) بتصنيع و توريد مواد تمديدات الاسلاك و الكوابل منذ اكثر من ٢٥ عام، و نمت الشركة مع شركائها لتصبح اليوم احدى العلامات الرائدة في منطقة الشرق الاوسط.

نبدل و نسعى باستمرار لتوفير الافضل بالجودة، وسرعة التوريد، والخدمة المميزه، والسعر، وتنوع المنتجات والقيمة، وكل عام نشهد قفزات في جميع هذه النواحي.

الجوده

جوده منتجات جبكو هي في قمة اولويات جميع اعمالنا و نشاطاتنا، و نسعى دوما على توفير لعملائنا افضل المواد على الاطلاق.

التوريد و المخزون

نقوم دوما باضافة خطوط انتاج و آليات لنتمكن من الاستجابة لمتطلبات السوق فوراً. و قامت جبكو بالاستثمار في قدرتها للتخزين و التوريد لتصبح اليوم من أعلى قدرات التوريد في منطقة الشرق الاوسط.


المواصفات و الاعتمادات

جبكو عضوا فعال في العديد من اللجان المختصة في تطوير و تحديد مواصفات مواد تمديدات الاسلاك و الكوابل. فريق الخبراء في الشركة يضمن ان جميع منتجات جبكو مطابقة لاجدث المواصفات ذات العلاقة. منتجاتنا مصممة لتفوق المتطلبات الفنية لهذه المواصفات، وتضمن جبكو كل منتج يحمل اسمها.

جوده المنتجات و الفحص

استثمرت جبكو بالاستثمار بالمختبرات الداخلية في الشركة للتمكن من الفحص الفوري و المستمر لجميع منتجاتنا للتأكد من توافقيها مع متطلبات احدث المواصفات العالمية، و لجبكو علاقات وثيقة مع المختبرات الرائدة في الاردن ، و تقوم الشركة بفحص المنتجات المختلفة باستمرار في هذه المختبرات لتوفير شهادات معتمده و محايدة على تطابق المنتجات مع المواصفات و جوده منتجات جبكو.





Certificates

GEPICO has been certified in ISO 9001 for over a decade, all our processes and systems operate to ensure the delivery of high quality services to our customers, GEPICO has also been awarded the Jordan Quality Mark, which certifies that GEPICO products exceed the quality requirements of the relevant international standards.

Technical and Customer Service

GEPICO has developed unique expertise in the world of projects and approval, our experts have a long history of product knowledge and technical knowhow that enables GEPICO to assist our customers and partners in the challenging and at times time consuming process of approvals and acceptance.

Price

Employing the latest technologies and strong partnerships with material suppliers enable GEPICO to not only offer superior product to the market, but to ensure that GEPICO prices are the most competitive among wire and cable management suppliers, enabling us to contribute to the successes of our customers and partners in the challenging construction and project environment.

Product Range

Along with investing in advanced production processes and systems, GEPICO has constantly updated its extensive product range to offer our customers the latest product and system designs that ensure quality and conformity and at the same time open more installation options to lower project and construction costs.

Value

Finally, the above pillars support our most important GEPICO advantage, GEPICO Value, GEPICO products offer the very best value to our partners. Contributing to their growth and competitiveness in the market.

الشهادات

جيبكو حاصلة على شهادة ال ISO 9001 منذ سنة 1996، جميع العمليات و الانظمة الادارية في الشركة موضوعة لضمان حصول عملائنا على اعلى مستويات الخدمة و الجودة. و قد تم منح جيبكو علامة الجودة الاردنية، التي تشهد ان منتجات جيبكو تفوق المتطلبات الفنية المحددة في المواصفات.

الخدمات الفنية و التجارية

لدى جيبكو اطلاع واسع في عالم المشاريع و الاعتمادات، و خبراتنا لديهم خبره طويله في استخدامات المنتجات المختلفة و المعلومات الفنية التي تمكن جيبكو من مساعدت شركائنا و عملائنا في عمليات تقديم المستندات و المعلومات لاغراض الموافقة و الاعتماد، التي ممكن ان تستغرق وقت طويل و تطلب تحضير وثائق معقدة.

السعر

الاستثمار المستمر في احدث طرق و خطوط الانتاج و العلاقات القوية مع افضل موردي المواد الخام تمكن جيبكو، بالاضافة الى تزويد السوق بافضل المنتجات، من توفير هذه المنتجات باسعار منافسة بين موردي مواد تمديدات الاسلاك و الكوابل، و هذا يمكننا بالمساهمة في نجاح عملائنا في سوق المشاريع الذي يواجه تحديات كبيرة.

توعو المنتجات

في نفس الوقت الذي تقوم الشركة بالاستثمار في خطوط الانتاج لزياده الانتاجية و الجودة، تقوم جيبكو بتحديث نوعية و عدد المنتجات لتمديدات الاسلاك و الكوابل، لنوفر لزيائنا احدث التصاميم و المنتجات بهدف تسهيل عمليات التركيب في المشاريع و تخفيض الكلف و في نفس الوقت ضمان المطابقة مع المواصفات و المتطلبات.

القيمة

أخيراً، جميع النقاط المذكوره في الأعلى تصب في اهم ميزه لمنتجات جيبكو، و هي قيمة المنتجات، حيث أن منتجات جيبكو توفر الافضل لعملائنا، و تساهم في نموهم و نجاحهم.





GEPICO
Total Wire & Cable Management Solutions

Applying the latest global, regional, national standard to our products and management processes to ensure complete compliance and guaranteed quality from raw material to finished product.



TESTING & APPROVALS

GEPICO products are manufactured to conform to the latest international standards concerning Wire and Cable Management Products, our in-house testing laboratories are capable of performing complete tests on our products that include:

- Compression Testing
- Bending Tests
- Collapse Tests
- Dimension and Digital gauge tests
- Pressure Point Tests
- Impact Tests
- Flammability Tests
- High Voltage Tests
- Insulation Resistance Tests

Tests are constantly performed on production samples to ensure that all GEPICO products exceed the demands of the latest international standards and to contribute to our Research and Development efforts to apply new formulations, technologies and materials to push the performance of GEPICO products even further.

Our team of engineers are capable of producing detailed reports for our various products that detail the results to our various customers and clients.

GEPICO has also developed a strong partnership with the Royal Scientific Society in Jordan, one of the preeminent technical testing organizations in the region and conduct periodic tests in the RSS to confirm the in-house test results and to obtain third party certificates for added assurance to our customers.

الفحص و المواصفات

منتجات جبكو جميعها مطابقة لحدث المواصفات و المقاييس المحلية و العالمية لمنتجات تمديدات الاسلاك و الكوابل، مختبراتنا الداخلية في مصانعنا مجهزه لتجري تقييم كامل للمنتجات و تتضمن:


- فحص الانضغاط
- فحص الثني
- فحص الانهيار
- تقييس الابعاد الرقمي
- فحص نقطه الضغط
- فحص التصادم
- فحص مقاومة الاحتراق
- فحص التيار الكهربائي العالي
- فحص مقاومة العزل

الفحوصات تتم باستمرار على عينات تؤخذ من خطوط الانتاج للتأكد ان المنتج يفوق المطلوب في المواصفات، و للكشف عن فرص التطوير في اداء منتجات جبكو، من تطوير خلطات جديد، و تطبيق تكنولوجيا تصنيع متقدمة، و استخدام مواد متطوره في الانتاج، من ما يؤدي الى تحسن و قفزات مستمره في اداء جميع منتجاتنا.

فرق المهندسين لدينا يقومون بتحضير تقارير مفصلة عن نتائج الفحوصات الفنية لخدمة احتياجات عملائنا و الجهات الرقابية و الاستشارية.

تربط جبكو علاقة قديمة و وثيقة مع الجمعية العلمية الملكية في الاردن، احدى الجهات الرائدة في المنطقة بعالم الفحوصات الفنية المختلفة، و تقوم الشركة باجراء اختبارات دورية لدعم الفحوصات الداخلية في الشركة و ايضا للحصول على شهادات مطابقة لمنتجاتها من جه معتمده و محايدة.





GEPICO High Impact UPVC conduits are built to be rigid, bendable and with excellent electrical insulation properties. These conduits give excellent protection for electrical wires and cables and do not promote combustion or flame propagation.

Using our own specially developed UPVC formulations, we are able to offer our customers an extremely high quality product that is also unsurpassed in value.

GEPICO UPVC conduits enable the undertaking of any new or refurbishment work with confidence. These conduits are built to last and withstand the harshest conditions and installation requirements.

The range of GEPICO UPVC conduits are available in standard black or white. The standard length of the conduit is 2.9 meters, GEPICO Conduits can also be customized to suit client length and color requirements for special orders.

أنابيب جبكو الكهربائية مصنوعة لتكون عالية الصدم صلبة و قابله للثني، و تتميز بمقاومة عالية للكهرباء و الاحتراق. هذه الانابيب تمنح حماية عالية للاسلاك و الكوابل الممدوده في داخلها و لا تساعد على نشر اللهب و الاحتراق.

تقوم جبكو بتطوير خلطات خاصه للبي في سي تمكنا من توفير منتجات تجمع اعلى جوده و مواصفات فنية و كلفة منافسة جدا لعملائنا.

يمكن استخدام انابيب جبكو في اي مشاريع انشائية جديده او اعمال ترميم و تجديد بثقة، هذه الانابيب مصنوعة لطول العمر و تحمل اصعب الظروف الجوية و الانشائية.

تتوفر انابيب جبكو باللونين الابيض و الاسود، و بطول موحد 2.9 متر. ممكن ايضا تصنيع هذه الانابيب باطوال و الوان مختلفه للطلبات و الاحتياجات الخاصه للعملاء.

STANDARDS

المواصفات

GEPICO Conduits comply with all the relevant local and International standards

انابيب جبكو الكهربائية مطابقه لجميع المواصفات العالمية و المحليه ذات العلاقة

Body	Standard Number
British Standards Institute (BSI)	BS 4607
British Standards Institute (BSI)	BS 6099
BSI / CENELEC	BS EN 50086
BSI / IEC / CENELEC	BS EN 61386
Jordan Institute of Standards & Metrology (JISM)	JS 585
Saudi Arabia Standards Organisation (SASO)	SASO 255
GCC Standardisation Organisation	GSO 33
Central Organisation for Standardisation & Q.C (COSQC) - IRAQ	IQS 1618
BSI / CENELEC	BS EN 60423



CONDUIT RANGE

قائمة الانابيب

HEAVY GAUGE

العيار الثقيل

CLASSIFICATION	Code	Size	Description	Packaging
4421-1257-4010	GCH20	20mm	20mm Heavy Gauge PVC Conduit, 2.9m length	30
IMPACT STRENGTH	GCH25	25mm	25mm Heavy Gauge PVC Conduit, 2.9m length	30
	GCH32	32mm	32mm Heavy Gauge PVC Conduit, 2.9m length	20
1250 N	GCH38	38mm	38mm Heavy Gauge PVC Conduit, 2.9m length	15
COMPRESION STRENGTH	GCH50	50mm	50mm Heavy Gauge PVC Conduit, 2.9m length	10

MEDIUM GAUGE

العيار الوسط


CLASSIFICATION	Code	Size	Description	Packaging
3321-1257-4010	GCS20	20mm	20mm Medium Gauge PVC Conduit, 2.9m length	30
IMPACT STRENGTH	GCS25	25mm	25mm Medium Gauge PVC Conduit, 2.9m length	30
	GCS32	32mm	32mm Medium Gauge PVC Conduit, 2.9m length	20
750 N	GCS38	38mm	38mm Medium Gauge PVC Conduit, 2.9m length	15
COMPRESION STRENGTH	GCS50	50mm	50mm Medium Gauge PVC Conduit, 2.9m length	10

LIGHT GAUGE

العيار الخفيف

CLASSIFICATION	Code	Size	Description	Packaging
2221-1257-4010	GCL20	20mm	20mm Light Gauge PVC Conduit, 2.9m length	30
IMPACT STRENGTH	GCL25	25mm	25mm Light Gauge PVC Conduit, 2.9m length	30
	GCL32	32mm	32mm Light Gauge PVC Conduit, 2.9m length	20
320 N	GCL38	38mm	38mm Light Gauge PVC Conduit, 2.9m length	15
COMPRESION STRENGTH	GCL50	50mm	50mm Light Gauge PVC Conduit, 2.9m length	10





GEPICO HDPE Corrugated Conduits are manufactured from our proprietary HDPE blends. They offer the enclosed wiring excellent protection, and is a very good insulator.

GEPICO Corrugated Conduits are designed to maintain their cross-sectional dimensions while at the same time, be extremely flexible. These conduits are suitable for applications where there is a possibility of movement (eg. Vibration) or when rigid piping is too difficult to install.

GEPICO Corrugated Conduits can be found today in modern high tech buildings, private homes and in non-standard places such as enclosing the wiring of transport trucks and standard home refrigerators and freezers. These conduits can be mounted externally or can be cast in concrete.

GEPICO PVC Corrugated Conduits are manufactured from our special PVC blends. Though made from PVC these conduits are designed to be flexible and strong, as well as light in weight and low in cost.

PVC gives the conduit much higher strength, resistance and flame protection. The result is a much cheaper conduit, that affords the extremely easy installation and cost offered by HDPE.

تصنع انابيب جبكو الحلزونية باستخدام خلطاتنا الخاصة، و تمنح هذه الانابيب الاسلاك الممدوده في داخلها حماية مميزة.

الانابيب الحلزونية مصممه للمحافظة على القطر الداخلي للانبوب حتى عند التفافها في زوايه حاده. و هي في نفس الوقت سهله الالتفاف و التعامل. و تستخدم هذه الانابيب في المناطق المعرضة للاهتزاز المستمر و المناطق التي يصعب استعمال الانابيب الصلبة فيها.

يمكن ايجاد هذه الانابيب مستعملة اليوم في المباني المتطورة، البيوت الخاصه، و حتى في ترميمات الاسلاك في الشاحنات و الحافلات الكبيره. يمكن نصب هذه الانابيب في داخل و خارج الجدران.

أنابيب جبكو الحلزونية المصنعة من الببي في سي تستخدم خلطات خاصه عالية المواصفات، طورت من قبل الشركة حتى نضمن ان تكون هذه الانابيب سهله المد و ايضا قوية و قليله التكلفة.

تتميز انابيب الببي في سي عن انابيب البوليثلين على انها تمنح مقاومه اكبر للاحتراق و الكهرباء، و بنفس الوقت لها ميزات الانابيب المصنوعه من البوليثلينز

STANDARDS

المواصفات

GEPICO Conduits comply with all the relevant local and international standards


انابيب جبكو الكهربائيه مطابقه لجميع المواصفات العالميه و المحليه ذات العلاقه

Body	Standard Number
BSI / CENELEC	BS EN 50086
BSI / IEC / CENELEC	BS EN 61386
BSI / CENELEC	BS 60423
Saudi Arabia Standards Organisation (SASO)	SASO 254 / 255



HDPE CORRUGATED CONDUITS

حزوني بولي اثلين



HEAVY GAUGE PE CORRUGATED FLEXIBLE CONDUITS

Code	Size	Description	Packaging
GHPE20HG	20mm	20mm Heavy Gauge PE Corrugated (Flexible) Conduit, 25m length	10
GHPE25HG	25mm	25mm Heavy Gauge PE Corrugated (Flexible) Conduit, 25m length	10
GHPE32HG	32mm	32mm Heavy Gauge PE Corrugated (Flexible) Conduit, 25m length	7

MEDIUM GAUGE PE CORRUGATED FLEXIBLE CONDUITS

Code	Size	Description	Packaging
GHPE20MG	20MM	20mm Medium Gauge PE Corrugated (Flexible) Conduit, 25m length	10
GHPE25MG	25MM	25mm Medium Gauge PE Corrugated (Flexible) Conduit, 25m length	10
GHPE32MG	32MM	32mm Medium Gauge PE Corrugated (Flexible) Conduit, 25m length	7

DESCRIPTION	PE Corrugated Flexible Conduit 25m length.
CODE	GHPE
COLORS AVAILABLE	
CLASIFICATION	HEAVY : 44424 MEDIUM : 33424

PVC CORRUGATED CONDUITS

حزوني بي في سي



HEAVY GAUGE PVC CORRUGATED FLEXIBLE CONDUITS

Code	Size	Description	Packaging
GHPV20HG	20mm	20mm Heavy Gauge PVC Corrugated (Flexible) Conduit, 50m length	10
GHPV25HG	25mm	25mm Heavy Gauge PVC Corrugated (Flexible) Conduit, 50m length	10
GHPV32HG	32mm	32mm Heavy Gauge PVC Corrugated (Flexible) Conduit, 25m length	7

MEDIUM GAUGE PVC CORRUGATED FLEXIBLE CONDUITS

Code	Size	Description	Packaging
GHPV20MG	20mm	20mm Medium Gauge PVC Corrugated (Flexible) Conduit, 50m length	10
GHPV25MG	25mm	25mm Medium Gauge PVC Corrugated (Flexible) Conduit, 50m length	10
GHPV32MG	32mm	32mm Medium Gauge PVC Corrugated (Flexible) Conduit, 25m length	7

DESCRIPTION	PVC Corrugated Flexible Conduit, 25m length.
CODE	GHPV
COLORS AVAILABLE	
CLASIFICATION	HEAVY : 44214 MEDIUM : 33214

COUPLERS

المفف



Code	Size	Description	Packaging
GAC20	20mm	20mm PVC Coupler	250
GAC25	25mm	25mm PVC Coupler	150
GAC32	32mm	32mm PVC Coupler	100
GAC38	38mm	38mm PVC Coupler	75
GAC50	50mm	50mm PVC Coupler	40

ADAPTORS

ادبتر



Code	Size	Description	Packaging
GAA20	20mm	20mm PVC Adaptor	400
GAA25	25mm	25mm PVC Adaptor	200
GAA32	32mm	32mm PVC Adaptor	125
GAA38	38mm	38mm PVC Adaptor	100
GAA50	50mm	50mm PVC Adaptor	45

SCREW SADDLE

مربط برغي



Code	Size	Description	Packaging
GAS20	20mm	20mm PVC Screw Saddle	400
GAS25	25mm	25mm PVC Screw Saddle	300
GAS32	32mm	32mm PVC Screw Saddle	125
GAS38	38mm	38mm PVC Screw Saddle	100
GAS50	50mm	50mm PVC Screw Saddle	100

SPRING CLIP

مربط كبس



Code	Size	Description	Packaging
GAL20	20mm	20mm PVC Spring Clip	400
GAL25	25mm	25mm PVC Spring Clip	300

BENDS


كوع



Code	Size	Description	Packaging
GAB20	20mm	20mm PVC Bend	500
GAB25	25mm	25mm PVC Bend	250
GAB32	32mm	32mm PVC Bend	125
GAB38	38mm	38mm PVC Bend	50
GAB50	50mm	50mm PVC Bend	30

SPACER

سبيسر



Code	Size	Description	Packaging
GAP20	20mm	20mm PVC Spacer	400
GAP25	25mm	25mm PVC Spacer	250



LOOP BOX

علبة لوب



Code	Size	Description	Packaging
GAELN20	20mm	Loop Box Without Coupler, 20mm	72

LOOP BOX WITH COUPLER

علبة لوب مع مفة



Code	Size	Description	Packaging
GAEL20W	20mm	20mm Loop Box With Coupler	64
GAEL25W	25mm	25mm Loop Box With Coupler	45

ONE WAY (TERMINAL) BOX

علبة 1 طريق



Code	Size	Description	Packaging
GA1W20	20mm	20mm One Way Circular Box	60
GA1W25	25mm	25mm One Way Circular Box	60

ANGLE WAY BOX

علبة زاوية



Code	Size	Description	Packaging
GA2WA20	20mm	20mm Angle Way Circular Box	50
GA2WA25	25mm	25mm Angle Way Circular Box	50

THROUGH WAY BOX

علبة مستقيم



Code	Size	Description	Packaging
GA2WT20	20mm	20mm Through Way Circular Box	50
GA2WT25	25mm	25mm Through Way Circular Box	45

THREE WAY BOX

علبة 3 طريق



Code	Size	Description	Packaging
GA3W20	20mm	20mm Three Way Circular Box	45
GA3W25	25mm	25mm Three Way Circular Box	40

FOUR WAY BOX

علبة 4 طريق



Code	Size	Description	Packaging
GA4W20	20mm	20mm Four Way Circular Box	36
GA4W25	25mm	25mm Four Way Circular Box	30

U-WAY BOX

علبة (U)



Code	Size	Description	Packaging
GAUW20	20mm	20mm U Way Circular Box	55
GAUW25	25mm	25mm U Way Circular Box	55

Y-WAY BOX

علبة (Y)



Code	Size	Description	Packaging
GAYW20	20mm	20mm Y Way Circular Box	45
GAYW25	25mm	25mm Y Way Circular Box	45

H-WAY BOX

علبة (H)



Code	Size	Description	Packaging
GAHW20	20mm	20mm H Way Circular Box	40
GAHW25	25mm	25mm H Way Circular Box	40

EXPANTION RING

اسوار تمدد دائري



Code	Height	Description	Packaging
GAEXR15	15mm	15mm Circular Box Expansion Ring	250
GAEXR20	20mm	25mm Circular Box Expansion Ring	150
GAEXR25	35mm	35mm Circular Box Expansion Ring	100

CIRCULAR BOX COVER

غطاء علبة دائري



Code	Type	Description	Packaging
GAGC	flush	Circular Box Cover	500



GEPICO G BOX

علبة جبكو جي



GEPICO Original Innovation	ابتكار جديد من جبكو
12 Conduit Inlets (20, 25, 32mm)	12 مدخل للأنابيب (احجام 20، 25، 32 ملم)
Light Weight	وزن خفيف
Low Cost	تكلفة منخفضة
High Impact Strength	مقاومة كسر عالية
All the advantages of a plastic Box	جميع محاسن العلب البلاستيك
All the advantages of a GI Box	جميع محاسن العلب الحديد
and many more...	و محاسن اخرى

Code	Size (mm)	Description	Packaging
GGBX1	88 x 88	G-BOX One Gang Flush Mounting Box, Plastic + Metal.	25

DESCRIPTION	One Gang Flush Mounting Plastic Box, with Sheet Metal Fixing Screws
CODE	GGBX
COLORS AVAILABLE	
DIMENSIONS	L: 88mm x W:88mm x D:50mm
SCREW FIXING DISTANCE	60mm

ITALIAN SIZE OUTLET BOX

علبة حجم ايطالي



DESCRIPTION	Italian Dimension Flush Mounting Outlet Box
CODE	GAIT
COLORS AVAILABLE	
DIMENSIONS	L:112mm x W:74mm x D:50mm
SCREW FIXING DISTANCE	83mm

Code	Size (mm)	Description	Packaging
GAIT	112 X 74	Italian Dimension Flush Mounting Outlet Box.	20

SQUARE SURFACE BOX

علبة مربع خارجي



DESCRIPTION	One Gang PVC Surface Mounting Box.
CODE	GAMBSB
COLORS AVAILABLE	
DIMENSIONS	L:89mm x W:89mm x D:32mm
SCREW FIXING DISTANCE	60mm

Code	Size (mm)	Description	Packaging
GAMBSB	89 x 89	One Gang PVC Surface Mounting Box, White Color	40



RECTANGLE SURFACE BOX

علبة مستطيل خارجي



DESCRIPTION	Two Gang PVC Rectangular Surface Mounting Box.
CODE	GAMBRB
COLORS AVAILABLE	<input type="checkbox"/>
DIMENSIONS	L:88mm x W:147mm x D:32mm
SCREW FIXING DISTANCE	120mm

Code	Size (mm)	Description	Packaging
GAMBRB	88 x 147	Two Gang Rectangular Surface Mounting Box, White Color	24

7 X 7 FLUSH BOX (1 GANG)

علبة 7 X 7 داخلي



DESCRIPTION	One Gang Flush Mounting Box
CODE	GA1G
COLORS AVAILABLE	<input type="checkbox"/> <input checked="" type="checkbox"/>
DIMENSIONS	L:77mm x W:77mm x D:45mm
SCREW FIXING DISTANCE	60mm

Code	Size (mm)	Description	Packaging
GA1G2020	77 x 77	One Gang Flush Mounting Box with 8 x 20mm Inlets.	40
GA1G2020	77 x 77	One Gang Flush Mounting Box with 4 x 20mm Inlets & 4 x 25mm Inlets.	30

7 X 14 FLUSH BOX (2 GANG)

علبة 14 x 7 داخلي




DESCRIPTION	Two Gang Flush Mounting Box
CODE	GA2G
COLORS AVAILABLE	<input type="checkbox"/> <input checked="" type="checkbox"/>
DIMENSIONS	L:75mm x W:135mm x D:37mm
SCREW FIXING DISTANCE	120mm

Code	Size (mm)	Description	Packaging
GA2G	75 x 135	Two Gang Flush Mounting Box with 8 x 20mm Inlets	24

BOX COVERS

اغطية العلب



Code	SIZE	Description	Packaging
GAGS	7 X 7	One Gang Flush Box Cover	200
GAMBSC	7 X 7	Square Surface Box Cover	150
GAMBRB	7 X 14	Rectangular Surface Box Cover	75



1 GANG SHALLOW D.W. BOX

علبة مربع جبصين عادي



DESCRIPTION	One Gang Shallow Dry Wall Flush Mounting Outlet Box.
CODE	GDWSQS
COLORS AVAILABLE	<input type="checkbox"/>
DIMENSIONS	L: 74mm x W:74mm x D:34mm
SCREW FIXING DISTANCE	60mm

Code	Size (mm)	Description	Packaging
GDWSQS	74 x 74	One Gang Shallow Dry Wall Flush Mounting Outlet Box, 34mm Height	30

1 GANG DEEP D.W. BOX

علبة مربع جبصين عميق



DESCRIPTION	One Gang Deep Dry Wall Flush Mounting Outlet Box.
CODE	GDWSQD
COLORS AVAILABLE	<input type="checkbox"/>
DIMENSIONS	L: 74mm x W:74mm x D:46mm
SCREW FIXING DISTANCE	60mm

Code	Size (mm)	Description	Packaging
GDWSQD	74 x 74	One Gang Deep Dry Wall Flush Mounting Outlet Box, 46mm Height	25

2 GANG DRY WALL BOX

علبة مستطيل جبصين



DESCRIPTION	Two Gang Dry Wall Flush Mounting Outlet Box.
CODE	GDWRTS
COLORS AVAILABLE	<input type="checkbox"/>
DIMENSIONS	L: 74mm x W:134mm x D:34mm
SCREW FIXING DISTANCE	120mm

Code	Size (mm)	Description	Packaging
GDWRTS	74 x 134	Two Gang Dry Wall Flush Mounting Outlet Box, 34mm Height	24

CIRCULAR DRY WALL BOX

علبة جصين دائرية



DESCRIPTION	Circular Dry Wall Flush Mounting Box.
CODE	GDWCU
COLORS AVAILABLE	<input type="checkbox"/>
DIMENSIONS	Dia.: 62mm x D: 34
SCREW FIXING DISTANCE	50mm

Code	Size (mm)	Description	Packaging
GDWCU	62	Circular Flush Mounting Dry Wall Box, White Color	50



ONE GANG G.I. BOX

علبة حديد 7 X 7




DESCRIPTION	One Gang (7 x 7) GI Box With Brass Terminal & Moveable Lug.
CODE	GGI1G
COLORS AVAILABLE	<input type="checkbox"/>
DIMENSIONS	L: 70mm x W:70mm x D:36mm
SCREW FIXING DISTANCE	60mm

Code	Size (mm)	Description	Packaging
GGI1G4	70 x 70	One Gang (7x7) GI Box with Brass Terminal & Moveable Lug, 36mm Depth.	48

TWO GANG G.I. BOX

علبة حديد 7 X 14



DESCRIPTION	Two Gang (7 x 14) GI Box With Brass Terminal & Moveable Lug.
CODE	GGI2G
COLORS AVAILABLE	<input type="checkbox"/>
DIMENSIONS	L: 70mm x W:130mm x D:36mm
SCREW FIXING DISTANCE	120mm

Code	Size	Description	Packaging
GGI2G4	70 x 130	Two Gang (7x14) GI Box with Brass Terminal & Moveable Lug, 36mm Depth.	24

